



SIZE	ART. NO.	EAN NO.
6	117-6	7392626011168
7	117-7	7392626010611
8	117-8	7392626010628
9	117-9	7392626010635
10	117-10	7392626010642
11	117-11	7392626010659

TEGERA® 117

Leather glove, winter-lined, 0,6-0,7 mm full grain goatskin of top quality, nylon, fleece, Cat. II, grey, white, reinforced index finger, reinforced fingers and thumb, Velcro®, for precision work

PROPERTIES

High level of protection, extremely good fingertip sensitivity, extra flexible, durable, perfect fit, extra comfortable, warm

SPECIFICATION

TYPE OF GLOVE Cold insulation gloves

CATEGORY Cat. II

SIZE RANGE 6, 7, 8, 9, 10, 11

PALM MATERIAL Full grain goatskin of top quality

PALM THICKNESS 0,6-0,7 mm

BACK MATERIAL Nylon

LINING Winter-lined

LINING MATERIAL Fleece

DEXTERITY 4

FASTENING Velcro®

LENGTH RANGE 230-285 mm

COLOUR Grey, white

PAIRS PER PACKAGE/CARTON 12/60

DISPLAY Hook with hangtag

OUTER MATERIAL SPECIFICATION Leather 50%, nylon 49%, natural latex 1%

INNER MATERIAL SPECIFICATION Polyester 100%



TEGERA® 117

FEATURES

Reinforced index finger, reinforced fingers and thumb

PRIMARY PROTECTION

Prevents risk of, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with cold

PRIMARY ENVIRONMENTS OF USE

Outdoors, all-year use, cold environments

PRIMARY AREAS OF USE

Assembly, machine operating, building and construction, carpentry, installation work, construction, soil preparation, transport work, machine driving, warehouse work, wood industry work, forest work, agricultural work, gardening, repair work, military work, sanitation, cleaning

PRIMARY INDUSTRIES OF USE

Automotive, transportation, building and construction, logistics, service, retail

TYPE OF WORK

Light weight

CE Cat. II



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2016-08-23

2(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 117

EC TYPE EXAMINATION

Notified Body: 0493 Centexbel, Technologiepark 7, BE-9052 Zwijnaarde (Gent) Belgium

COMPLIANCE DESCRIPTION

EN 420:2003 Protective gloves - general requirements and test methods

EN 388:2003 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
A) Resistance to wear (No. of revolutions)	2	(4)
B) Resistance to cutting (Index)	0	(5)
C) Tear resistance (Newton)	0	(4)
D) Puncturing resistance (Newton)	1	(4)

EN 388 - Testing (specifies the requirements that apply for each safety level).

Level of protection	1	2	3	4	5
A) Resistance to wear (No. of revolutions)	100	500	2000	8000	
B) Resistance to cutting (Index)	1,2	2,5	5,0	10,0	20,0
C) Tear resistance (Newton)	10	25	50	75	
D) Puncturing resistance (Newton)	20	60	100	150	

EN 511:2006 Protective gloves against cold



CE Cat. II



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2016-08-23

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com